

VOX

Welded Muffler
Silenciadores Soldados

By **Welded Muffler**
IR Exhaust
P R O D U C T S

100%
ANTI LEAKS
WELDED





IR Exhaust Products, Miami, Florida USA, www.irexhaust.com


IR Exhaust
P R O D U C T S

ROUND MUFFLERS
SILENCIADOR REDONDO


6" ROUND




6" ROUND



6" ROUND




6" ROUND



6" ROUND

9" ROUND



9" ROUND



Welded Muffler Silenciadores Soldados

**100%
ANTI LEAKS
WELDED**




Universal Welded Muffler Silencieux Universel Soudes - Silenciador Universal Soldado

- Designed 100% welded. Antileaks warranty
- 100% Aluminized Materials for a long life
- Expandables bushings for custom applications
- Diseño 100% soldado garantizado, un sello completamente hermético
- Materiales 100% aluminizados para una larga vida útil
- Niples extensos para una fácil instalación


OVAL MUFFLERS

SILENCIADOR OVALADO

3 1/4" x 7 3/4"




Offset / Center




3 1/4" x 7 3/4"

Offset / Center



3 1/4" x 7 3/4"


Offset / Center



3 1/4" x 7 3/4"


4 1/4" x 8 3/4"

Offset / Center




4 1/4" x 8 3/4"

Offset / Center



4 1/4" x 8 3/4"

Offset / Center



4 1/4" x 8 3/4"



SPECIAL MUFFLERS
SILENCIADOR REDONDO

THREE CHAMBERS

SYSTEM REFLECTION TECHNOLOGY

Dual / Center

18" (Center to Center)
 23" (Overall Length)

2 1/2" (Inlet/Outlet Diameter)

VOM-1216

2 1/4" LD. (Inlet/Outlet)

7" x 10 3/4"



THREE CHAMBERS

SYSTEM REFLECTION TECHNOLOGY

Dual / Dual

23" (Center to Center)
 18" (Overall Length)

2 1/2" (Inlet/Outlet Diameter)

VOM-1217

2" LD. (Inlet/Outlet)

4 1/4" x 8 3/4"

FOUR CHAMBERS

SYSTEM REFLECTION TECHNOLOGY

I.D./ O.D. Same Side

24" (Overall Length)
 21 1/2" (Center to Center)

2 1/2" (Inlet/Outlet Diameter)

Vsx-2201

2" LD. (Inlet/Outlet)

7" x 13 1/2"

PRE-MUFFLERS
PRE-SILENCIADORES

PRE-MUFFLER

SYSTEM REFLECTION TECHNOLOGY

Center / Center

16" (Center to Center)
 11" (Overall Length)

2 1/2" (Inlet/Outlet Diameter)

VPOM-2211

1 3/4" LD. (Inlet/Outlet)

3 1/4" x 6 1/4"